



Industrie Service

Certificate No. **VR2 – 1401– 101 EU**

The TÜV SÜD Industrie Service GmbH, test body for vapor recovery systems,  
Westendstr. 199, D-80686 Munich,



certifies having conducted tests according to EN 16321-1  
on the following petrol vapour recovery system:

Type of system:	<b>Active, distributed system with mechanical proportional valve</b>
Nozzle:	<b>ELAFLEX ZVA Slimline 2 GRVP</b>
Hose assembly:	<b>ELAFLEX Slimline 21/8</b>
Proportional valve:	<b>ELAFLEX GRVP</b> mechanical valve integrated into the nozzle
Vapour recovery pump:	<b>Dürr, MEX 0831-10 / MEX 0831-11 / MEX 0544</b>

Conditions for installation and operation:  
*Requirements to ensure system performance in use*

Maximum volumetric fuel-flow rate:	<b>40 l/min</b>
Maximum back pressure in petrol vapour pump outlet line with maximum vapour flow:	<b>50 mbar</b>
Correction factor for system settings with simulated petrol-flow of 38 l/min.:	<b>1,14</b>
Measured efficiency:	<b>89 %</b>
<i>Required efficiency by Directive 2009/126/EC</i>	<b>85 %</b>

Average result of each test tank:

VW Golf VI:	<b>88,4 %</b>	VW Polo V: <b>88,2 %</b>	Renault Megane 3: <b>90,9 %</b>
-------------	---------------	--------------------------	---------------------------------

Based on ID: "Efficiency 1401 Slimline 2", "System 1401 - 101 EU"

The vapour recovery system corresponds to the state of the art as defined in the  
"Directive 2009/126/EC" last amended by "Directive 2014/99/EU".

Germany, Munich    16/09/2018  
Expiration date      15/09/2020



Test Body for Vapor Recovery Systems  
*Peter Szalata*  
Peter Szalata